

ALEXO® Kaffe Fassett Edition
The Swiss classic since 1931 – reinterpreted



ALEXO® Kaffe Fassett Edition



The perfect symbiosis

The new ALEXO® Kaffe Fassett Edition pays homage to two icons. For over 90 years, this charming wooden parasol has perfectly combined design and functionality. Now it blossoms in new colours and patterns in collaboration with Kaffe Fassett, who has been inspiring people around the world for more than 60 years with his unique and colourful work, both as a painter and mosaic artist and as a designer of textiles and knitwear. His bold use of colour and flair for patterns are exceptional, and his fabrics and books are essential for textile enthusiasts.

For lasting enjoyment of your parasol

The new Glatz ALEXO® Kaffe Fassett Edition introduces, for the first time, a Kaffe Fassett design on a quality 5 polyacrylic awning fabric with «Enchanted Magenta». This fabric is the first choice in terms of durability, colour fastness and UV protection: it is certified with the «UV Protection > 98%» label and achieves a light fastness rating of 7–8. As a result, the colour intensity of your parasol canopy is maintained for at least 350 to 700 days, without losing its brilliance. «My print is called Enchanted. I used every round floral I could think of to create a celebratory dance of flowers.» – Kaffe Fassett

A true classic

Made of Swiss ash wood and featuring a gear joint, its pole as well as its domed parasol roof make the ALEXO® a real classic for sunny days. Thanks to the tilt action of up to 90° and its ability to rotate around its own axis, creating shade becomes child's play.

At 200 to 220 centimetres in diameter, ALEXO® is also the ideal parasol when space is limited. Its break-proof ribs, the iconic and high-quality ash wood pole and a solid gear joint, made of die-cast zinc, ensure that it is a permanently reliable companion. And as you would expect, the appropriate fixations and a matching flounce are also available. This is what savoir-vivre with a rich heritage looks like.



«I hope that every moment in your garden becomes a celebration under this glorious parasol.»


A handwritten signature in black ink that reads "Kaffe Fassett".

Kaffe Fassett, Designer and Textile Artist


ALEXO® Kaffe Fassett Edition



Frame	10 ribs Swiss ash Pole Ø 30 mm Die-cast zinc gear joint Ribs made from flexible, break-proof fibreglass
Function	Opened by pushing up the runner Tiltable to 90°
Frame colour	Swiss ash with a clear varnish
Canopy	Fabric Quality 5: polyacrylic, 300 g/m ² , UV protection > 98 % 609 Floral (White with Kaffe Fassett Enchanted Magenta print) Print placed on the outside
Flounce	Available with or without For the version with flounce, the flounce is edged with a matching light blue binding For the version without flounce, the fabric is reinforced with white leather edges
Protective cover	Can be ordered as an optional extra



Usage locations



Fixation



Valid from 1.5.2026
glatz.com

Assortment

Frame ash

Shape	Nominal size	Number of ribs	Order no. 609 Floral* without flounce	Order no. 609 Floral* with flounce
	cm			
○	Ø 200	10	180 00 200 751 609	180 00 200 750 609
	Ø 220	10	180 00 220 751 609	180 00 220 750 609

Nominal size	Lateral distance	Pole Ø	Area covered	Height of joint	Height closed / with flounce	Clear headroom / with flounce	Total height	Foundation	Minimum weight for base	Max. wind speed open
cm	cm	cm	m ²	cm	cm	cm	cm	cm	kg	km/h (Bft.)
A	AS	M		D	E / E ¹	F / F ¹	G	C		
Ø 200	190	3.0	2.9	101	135 / 120	205 / 190	245	40 x 40	30	20 (4)
Ø 220	210	3.0	3.6	101	125 / 110	200 / 185	245	40 x 40	30	20 (4)


The listed measures represent extrapolated average values that may be slightly different on the product ($\pm 2\% \pm 5$ cm).

The measures of the height are determined by the ST ground socket. If one of the offered bases is used, these measures change only slightly. Apart from the steel base minus 5 cm.


The max. wind speed limits as per our separate sheet apply only if the parasol canopy is in a horizontal position and if there is a fix ground anchorage. A base with the specified minimum weight is not sufficient.

In the presence of several parasols, the minimum distance between one parasol and another and between parasols and walls shall be 20 cm.

* When the parasol is closed, regular friction caused by wind, the protective cover, etc. can lead to a reduction in colour intensity; this is not a valid reason for complaint.



Loose cover max. 10 cm,
concrete thickness min. 30 cm (pay attention to frost depth),
guarantee water drainage



10 parts

		Absolutely necessary	Order no.
Protective cover			
Protective cover made of coated, tear-resistant polyester fabric			
1	Protective cover		35001609983
Accessories			
Electrical accessories			
2	OSYRION Spot LED battery-powered light, set of 2, with remote control, including charger		35001563000
3	OSYRION Spot LED battery-powered light, set of 4, with remote control, including charger		35001563100
Fixations			
Ground sockets			
4	Ground socket ST, hot-dip galvanised steel	Connection tube ST	35001205105
Wall consoles			
5	Wall bracket Z, 180 mm, hot-dip galvanised steel	Support tube Z	35001205000
Bases			
6	Concrete base Z, 30 kg, Ø 47 × 10 cm, light concrete	Support tube Z	35001111016
6	Concrete base Z, 40 kg, Ø 60 × 8.5 cm, light concrete	Support tube Z	35001111116
6	¹ Concrete base Z, 40 kg, Ø 60 × 8.5 cm	Support tube Z	35001109529
7	1/2 Natural granite base Z, 30 kg, 50 × 33 × 7 cm, natural stone	Support tube Z	35001109480
8	Natural granite base Z, 40 kg, 50 × 50 × 8 cm, natural stone, matt NEW	Support tube Z	35001109432
9	³ Set of castors for natural granite base Z, 40/55/90 kg / M4, 120 kg, Ø 5 cm, galvanised steel		35001109487
9	^{3,8} Set of castors for natural granite base Z, 40/55/90 kg / M4, 120 kg, Ø 5 cm, high-grade steel 1.4301 / 304		35001109486
10	Steel base Z 40 kg, 58.5 × 58.5 × 2 cm, hot-dip galvanised steel	Support tube Z	35001100810
11	³ Set of castors for steel base Z, 40/55 kg, Ø 5 cm, galvanised steel		35001101001
11	^{3,8} Set of castors for steel base Z, 40/55 kg, Ø 5 cm, high-grade steel 1.4301 / 304		35001101000
Various fixation types			
12	Lawn spike Z, 85 × 150 × 350 mm, hot-dip galvanised steel	Support tube Z	35001205400
Support tubes/connection tubes			
13	Support tube Z, Ø 25–33 mm, hot-dip galvanised steel		35001200135
14	Connection tube ST, Ø 25–33 mm, hot-dip galvanised steel		35001205100

¹ while stocks last

³ only suitable for smooth, joint free surface coverings

⁸ suitable for corrosive environments

